

# Package ‘georefdata’

January 15, 2024

**Title** Geosciences Reference Datasets

**Version** 0.6.5

**Description** Reference datasets commonly used in the geosciences. These include standard atomic weights of the elements, a periodic table, a list of minerals including their abbreviations and chemistry, geochemical data of reservoirs (primitive mantle, continental crust, mantle, basalts, etc.), decay constants and isotopic ratios frequently used in geochronology, color codes of the chronostratigraphic chart. In addition, the package provides functions for basic queries of atomic weights, the list of minerals, and chronostratigraphic chart colors. All datasets are fully referenced, and a BibTeX file containing the references is included.

**License** MIT + file LICENSE

**URL** <https://github.com/abuseki/georefdata>

**BugReports** <https://github.com/abuseki/georefdata/issues>

**Encoding** UTF-8

**RoxygenNote** 7.2.3

**Depends** R (>= 2.10)

**LazyData** true

**Imports** Rdpack

**RdMacros** Rdpack

**Suggests** spelling, testthat (>= 3.0.0), readxl, dplyr, tidyverse

**Config/testthat.edition** 3

**Language** en-US

**NeedsCompilation** no

**Author** Gerald Schuberth-Hlavač [aut, cre]

**Maintainer** Gerald Schuberth-Hlavač <[abuseki@synapticgap.com](mailto:abuseki@synapticgap.com)>

**Repository** CRAN

**Date/Publication** 2024-01-15 16:20:06 UTC

## R topics documented:

ALL_MORB_GALE_2013 . . . . .	2
aw . . . . .	3
BAB_GALE_2013 . . . . .	4
CC_Bulk_Rudnick_Gao_2014 . . . . .	4
CC_Bulk_Taylor_McLennan_1995 . . . . .	5
CC_Lower_Rudnick_Gao_2014 . . . . .	6
CC_Lower_Taylor_McLennan_1995 . . . . .	7
CC_Middle_Rudnick_Gao_2014 . . . . .	8
CC_Upper_Rudnick_Gao_2014 . . . . .	8
CC_Upper_Taylor_McLennan_1995 . . . . .	9
CI_McDonough_Sun_1995 . . . . .	10
decayConstants . . . . .	11
EMORB_Sun_McDounough_1989 . . . . .	12
georefdatar_package . . . . .	12
icsColor . . . . .	14
ICS_Colors . . . . .	15
isoRatios . . . . .	16
IUPAC_StdAW . . . . .	17
mins . . . . .	18
minSearch . . . . .	19
minsForChemistry . . . . .	19
NMORB_Sun_McDounough_1989 . . . . .	20
OIB_Sun_McDounough_1989 . . . . .	21
PGE . . . . .	21
PM_Sun_McDounough_1989 . . . . .	22
pte . . . . .	23
Pyrolite_McDonough_Sun_1995 . . . . .	24
REE . . . . .	24
<b>Index</b>	<b>27</b>

---

ALL\_MORB\_GALE\_2013    *ALL\_MORB*

---

### Description

A data set containing the composition of mid-ocean ridge basalts (MORB) as given and defined by Gale et al. (2013)

### Usage

ALL\_MORB\_GALE\_2013

## Format

A data frame with 1 row and 70 element concentrations:

MgO, SiO<sub>2</sub>, FeO, CaO, Na<sub>2</sub>O, Al<sub>2</sub>O<sub>3</sub>, TiO<sub>2</sub>, K<sub>2</sub>O, P<sub>2</sub>O<sub>5</sub>, MnO, Ba, Be, Ce, Co, Cr, Cs, Cu, Dy, Er, Eu, Ga, Gd, Hf, Ho, La, Li, Lu, Mo, Nb, Nd, Ni, Pb, Pr, Rb, Sc, Sm, Sn, Sr, Ta, Tb, Th, Tl, U, V, W, Y, Yb, Zn, Zr, Sr<sub>87</sub>-Sr<sub>86</sub>, Nd<sub>143</sub>-Nd<sub>144</sub>, Pb<sub>206</sub>-Pb<sub>204</sub>, Pb<sub>207</sub>-Pb<sub>204</sub>, Pb<sub>208</sub>-Pb<sub>204</sub>, Hf<sub>176</sub>-Hf<sub>177</sub>, Sm-Nd, Zr-Hf, Ba-Th, Nb-U, Ce-Pb, Nb-Ta, Th-U, Ba-Rb, Ba-Cs, Rb-Cs, K-U, Y-Ho, Zr-Sm, Hf-Nd, Y-Yb

## Details

This data contains the composition of MORB defined as *ALL MORB* which is "the total composition of the crust apart from back-arc basins".

## References

Gale A, Dalton CA, Langmuir CH, Su Y, Schilling J (2013). "The mean composition of ocean ridge basalts." *Geochemistry, Geophysics, Geosystems*, **14**(3), 489–518. doi:[10.1029/2012GC004334](https://doi.org/10.1029/2012GC004334).

---

aw

*Get the atomic weight of an element*

---

## Description

Get the atomic weight of an element

## Usage

```
aw(sym, dataSource = "IUPAC")
```

## Arguments

sym	symbol of the element as a string
dataSource	the data source for the atomic weight, either IUPAC (default) or PubChem. This is case insensitive ("IUPAC" is the same as e.g. "IuPaC")

## Value

Atomic weight of element with the given symbol

## See Also

[IUPAC\\_StdAW](#) for the table of standard atomic weights by IUPAC and [pte](#) for a full periodic table of elements

## Examples

```
aw('H')
aw('H')*2+aw('O')

aw('Li', dataSource= "pubchem")
```

BAB\_\_GALE\_\_2013      *BAB*

## Description

A data set containing the composition of back-arc basin basalts as given by Gale et al. (2013)

## Usage

BAB\_\_GALE\_\_2013

## Format

A data frame with 1 row and 70 element concentrations:

MgO, SiO<sub>2</sub>, FeO, CaO, Na<sub>2</sub>O, Al<sub>2</sub>O<sub>3</sub>, TiO<sub>2</sub>, K<sub>2</sub>O, P<sub>2</sub>O<sub>5</sub>, MnO, Ba, Be, Ce, Co, Cr, Cs, Cu, Dy, Er, Eu, Ga, Gd, Hf, Ho, La, Li, Lu, Mo, Nb, Nd, Ni, Pb, Pr, Rb, Sc, Sm, Sn, Sr, Ta, Tb, Th, Tl, U, V, W, Y, Yb, Zn, Zr, Sr<sub>87</sub>\_Sr<sub>86</sub>, Nd<sub>143</sub>\_Nd<sub>144</sub>, Pb<sub>206</sub>\_Pb<sub>204</sub>, Pb<sub>207</sub>\_Pb<sub>204</sub>, Pb<sub>208</sub>\_Pb<sub>204</sub>, Hf<sub>176</sub>\_Hf<sub>177</sub>, Sm\_Nd, Zr\_Hf, Ba\_Th, Nb\_U, Ce\_Pb, Nb\_Ta, Th\_U, Ba\_Rb, Ba\_Cs, Rb\_Cs, K\_U, Y\_Ho, Zr\_Sm, Hf\_Nd, Y\_Yb

In the article the concentrations ...

## References

Gale A, Dalton CA, Langmuir CH, Su Y, Schilling J (2013). “The mean composition of ocean ridge basalts.” *Geochemistry, Geophysics, Geosystems*, **14**(3), 489–518. doi:[10.1029/2012GC004334](https://doi.org/10.1029/2012GC004334).

CC\_Bulk\_Rudnick\_Gao\_2014  
*Bulk Continental Crust*

## Description

A data set containing the composition of the *Bulk Continental Crust* as recommended by Rudnick and Gao (2014). This article is a revision of the previous work Rudnick and Gao (2003).

## Usage

CC\_Bulk\_Rudnick\_Gao\_2014

## Format

A data frame with 1 row and 84 element concentrations. These elements are:  
 SiO<sub>2</sub>, TiO<sub>2</sub>, Al<sub>2</sub>O<sub>3</sub>, FeO\*, MnO, MgO, CaO, Na<sub>2</sub>O, K<sub>2</sub>O, P<sub>2</sub>O<sub>5</sub>, Li, Be, B, N, F, S, Cl, Sc, V, Cr, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Br, Rb, Sr, Y, Zr, Nb, Mo, Ru, Pd, Ag, Cd, In, Sn, Sb, I, Cs, Ba, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Hf, Ta, W, Re, Os, Ir, Pt, Au, Hg, Tl, Pb, Bi, Th, U, Nb/Ta, Zr/Hf, Th/U, K/U, La/Yb, Rb/Cs, K/Rb, La/Ta, Mg#, Eu/Eu\*, Heat production

## Details

In this work the concentrations of the major elements (as oxides) are given in wt%. The concentrations of all other elements are given in ug/g (ppm) or ng/g (ppb). For the sake of unity the values given in ppb where converted to ppm using ppm= ppb/1000.

The listed values for the major elements (oxides) are in wt% and all other elements are given in ppm. Heat production is given in mW/m<sup>3</sup>.

## References

- Rudnick RL, Gao S (2014). “Composition of the Continental Crust.” In Holland HD, Turekian KK (eds.), *Treatise on Geochemistry*, Second Edition edition, 1–51. Elsevier, Oxford. ISBN 978-0-08-098300-4, [doi:10.1016/B9780080959757.003016](https://doi.org/10.1016/B9780080959757.003016). Rudnick RL, Gao S (2003). “Composition of the Continental Crust.” In *Treatise on Geochemistry*, 1–64. Elsevier. [doi:10.1016/b0080437516/030164](https://doi.org/10.1016/b0080437516/030164).

CC\_Bulk\_Taylor\_McLennan\_1995  
*Bulk Continental Crust*

## Description

A data set containing the composition of the *Bulk Continental Crust* as given by Taylor and McLennan (1995)

## Usage

`CC_Bulk_Taylor_McLennan_1995`

## Format

A data frame with 1 row and 63 element concentrations in ppm. These elements are:  
 Li, Be, B, Na, Mg, Al, Si, K, Ca, Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Rb, Sr, Y, Zr, Nb, Mo, Pd, Ag, Cd, In, Sn, Sb, Cs, Ba, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Hf, Ta, W, Re, Os, Ir, Au, Tl, Pb, Bi, Th, U

## Details

In this work the concentrations of most elements are given in ppm and some concentrations are given in wt% or ppb.

For the sake of unity the values given in either wt% or ppb were converted to ppm. So all listed values are in ppm.

This conversion was done using:

- $\text{ppm} = \text{wt\%} * 10000$
- $\text{ppm} = \text{ppb} / 1000$

## References

Taylor SR, McLennan SM (1995). “The geochemical evolution of the continental crust.” *Reviews of geophysics*, **33**(2), 241–265. doi:[10.1029/95rg00262](https://doi.org/10.1029/95rg00262).

CC\_Lower\_Rudnick\_Gao\_2014

*Lower Continental Crust*

## Description

A data set containing the composition of the *Lower Continental Crust* as recommended by Rudnick and Gao (2014). This article is a revision of the previous work Rudnick and Gao (2003).

## Usage

CC\_Lower\_Rudnick\_Gao\_2014

## Format

A data frame with 1 row and 84 element concentrations. These elements are:

SiO<sub>2</sub>, TiO<sub>2</sub>, Al<sub>2</sub>O<sub>3</sub>, FeO\*, MnO, MgO, CaO, Na<sub>2</sub>O, K<sub>2</sub>O, P<sub>2</sub>O<sub>5</sub>, Li, Be, B, N, F, S, Cl, Sc, V, Cr, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Br, Rb, Sr, Y, Zr, Nb, Mo, Ru, Pd, Ag, Cd, In, Sn, Sb, I, Cs, Ba, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Hf, Ta, W, Re, Os, Ir, Pt, Au, Hg, Tl, Pb, Bi, Th, U, Nb/Ta, Zr/Hf, Th/U, K/U, La/Yb, Rb/Cs, K/Rb, La/Ta, Mg#, Eu/Eu\*, Heat production

## Details

In this work the concentrations of the major elements (as oxides) are given in wt%. The concentrations of all other elements are given in ug/g (ppm) or ng/g (ppb). For the sake of unity the values given in ppb were converted to ppm using  $\text{ppm} = \text{ppb}/1000$ .

The listed values for the major elements (oxides) are in wt% and all other elements are given in ppm. Heat production is given in mW/m<sup>3</sup>.

## References

- Rudnick RL, Gao S (2014). “Composition of the Continental Crust.” In Holland HD, Turekian KK (eds.), *Treatise on Geochemistry*, Second Edition edition, 1–51. Elsevier, Oxford. ISBN 978-0-08-098300-4, doi:[10.1016/B9780080959757.003016](https://doi.org/10.1016/B9780080959757.003016). Rudnick RL, Gao S (2003). “Composition of the Continental Crust.” In *Treatise on Geochemistry*, 1–64. Elsevier. doi:[10.1016/b0080437516/030164](https://doi.org/10.1016/b0080437516/030164).

---

CC\_Lower\_Taylor\_McLennan\_1995  
*Lower Continental Crust*

---

## Description

A data set containing the composition of the *Lower Continental Crust* as given by Taylor and McLennan (1995)

## Usage

CC\_Lower\_Taylor\_McLennan\_1995

## Format

A data frame with 1 row and 63 element concentrations in ppm. These elements are: Li, Be, B, Na, Mg, Al, Si, K, Ca, Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Rb, Sr, Y, Zr, Nb, Mo, Pd, Ag, Cd, In, Sn, Sb, Cs, Ba, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Hf, Ta, W, Re, Os, Ir, Au, Tl, Pb, Bi, Th, U

## Details

In this work the concentrations of most elements are given in ppm and some concentrations are given in wt% or ppb.

For the sake of unity the values given in either wt% or ppb were converted to ppm. So all listed values are in ppm.

This conversion was done using:

- ppm = wt% \* 10000
- ppm = ppb / 1000

## References

- Taylor SR, McLennan SM (1995). “The geochemical evolution of the continental crust.” *Reviews of geophysics*, **33**(2), 241–265. doi:[10.1029/95rg00262](https://doi.org/10.1029/95rg00262).

## CC\_Middle\_\_Rudnick\_Gao\_\_2014

*Middle Continental Crust***Description**

A data set containing the composition of the *Middle Continental Crust* as recommended by Rudnick and Gao (2014). This article is a revision of the previous work Rudnick and Gao (2003).

**Usage**

CC\_Middle\_\_Rudnick\_Gao\_\_2014

**Format**

A data frame with 1 row and 76 element concentrations. These elements are:  
 SiO<sub>2</sub>, TiO<sub>2</sub>, Al<sub>2</sub>O<sub>3</sub>, FeO\*, MnO, MgO, CaO, Na<sub>2</sub>O, K<sub>2</sub>O, P<sub>2</sub>O<sub>5</sub>, Li, Be, B, F, S, Cl, Sc, V, Cr, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Rb, Sr, Y, Zr, Nb, Mo, Pd, Ag, Cd, Sn, Sb, Cs, Ba, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Hf, Ta, W, Pt, Au, Hg, Tl, Pb, Bi, Th, U, Nb/Ta, Zr/Hf, Th/U, K/U, La/Yb, Rb/Cs, K/Rb, La/Ta, Mg#, Eu/Eu\*, Heat production

**Details**

In this work the concentrations of the major elements (as oxides) are given in wt%. The concentrations of all other elements are given in ug/g (ppm) or ng/g (ppb). For the sake of unity the values given in ppb where converted to ppm using ppm= ppb/1000.

The listed values for the major elements (oxides) are in wt% and all other elements are given in ppm. Heat production is given in mW/m<sup>3</sup>.

**References**

- Rudnick RL, Gao S (2014). “Composition of the Continental Crust.” In Holland HD, Turekian KK (eds.), *Treatise on Geochemistry*, Second Edition edition, 1–51. Elsevier, Oxford. ISBN 978-0-08-098300-4, [doi:10.1016/B9780080959757.003016](https://doi.org/10.1016/B9780080959757.003016). Rudnick RL, Gao S (2003). “Composition of the Continental Crust.” In *Treatise on Geochemistry*, 1–64. Elsevier. [doi:10.1016/b0080437516/030164](https://doi.org/10.1016/b0080437516/030164).

## CC\_Upper \_\_Rudnick\_Gao\_\_2014

*Upper Continental Crust***Description**

A data set containing the composition of the *Upper Continental Crust* as recommended by Rudnick and Gao (2014). This article is a revision of the previous work Rudnick and Gao (2003).

**Usage**

```
CC_Upper_Rudnick_Gao_2014
```

**Format**

A data frame with 1 row and 84 element concentrations. These elements are:  
 SiO<sub>2</sub>, TiO<sub>2</sub>, Al<sub>2</sub>O<sub>3</sub>, FeO\*, MnO, MgO, CaO, Na<sub>2</sub>O, K<sub>2</sub>O, P<sub>2</sub>O<sub>5</sub>, Li, Be, B, N, F, S, Cl, Sc, V, Cr, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Br, Rb, Sr, Y, Zr, Nb, Mo, Ru, Pd, Ag, Cd, In, Sn, Sb, I, Cs, Ba, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Hf, Ta, W, Re, Os, Ir, Pt, Au, Hg, Tl, Pb, Bi, Th, U, Nb/Ta, Zr/Hf, Th/U, K/U, La/Yb, Rb/Cs, K/Rb, La/Ta, Mg#, Eu/Eu\*, Heat production

**Details**

In this work the concentrations of the major elements (as oxides) are given in wt%. The concentrations of all other elements are given in ug/g (ppm) or ng/g (ppb). For the sake of unity the values given in ppb where converted to ppm using ppm= ppb/1000.

The listed values for the major elements (oxides) are in wt% and all other elements are given in ppm. Heat production is given in mW/m<sup>3</sup>.

**References**

Rudnick RL, Gao S (2014). “Composition of the Continental Crust.” In Holland HD, Turekian KK (eds.), *Treatise on Geochemistry*, Second Edition edition, 1–51. Elsevier, Oxford. ISBN 978-0-08-098300-4, doi:10.1016/B9780080959757.003016.

Rudnick RL, Gao S (2003). “Composition of the Continental Crust.” In *Treatise on Geochemistry*, 1–64. Elsevier. doi:10.1016/b0080437516/030164.

**Description**

A data set containing the composition of the *Upper Continental Crust* as given by Taylor and McLennan (1995)

**Usage**

```
CC_Upper_Taylor_McLennan_1995
```

**Format**

A data frame with 1 row and 64 element concentrations in ppm. These elements are:  
 Li, Be, B, Na, Mg, Al, Si, P, K, Ca, Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Rb, Sr, Y, Zr, Nb, Mo, Pd, Ag, Cd, In, Sn, Sb, Cs, Ba, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Hf, Ta, W, Re, Os, Ir, Au, Tl, Pb, Bi, Th, U

## Details

In this work the concentrations of most elements are given in ppm and some concentrations are given in wt% or ppb.

For the sake of unity the values given in either wt% or ppb were converted to ppm. So all listed values are in ppm.

This conversion was done using:

- $\text{ppm} = \text{wt\%} * 10000$
- $\text{ppm} = \text{ppb} / 1000$

## References

Taylor SR, McLennan SM (1995). “The geochemical evolution of the continental crust.” *Reviews of geophysics*, **33**(2), 241–265. doi:[10.1029/95rg00262](https://doi.org/10.1029/95rg00262).

CI\_\_McDonough\_Sun\_\_1995

*Chondrite*

## Description

A data set containing the composition of the *CI* chondrite as given by McDonough and Sun (1995)

## Usage

CI\_\_McDonough\_Sun\_\_1995

## Format

A data frame with 1 row and 76 element concentrations in ppm:

Li, Be, B, C, N, F, Na, Mg, Al, Si, P, S, Cl, K, Ca, Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Br, Rb, Sr, Y, Zr, Nb, Mo, Ru, Rh, Pd, Ag, Cd, In, Sn, Sb, Te, I, Cs, Ba, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Hf, Ta, W, Re, Os, Ir, Pt, Au, Hg, Tl, Pb, Bi, Th, U

## Details

In the original work the concentrations of most of the major elements are given in wt% and the concentrations of Nb and following are given in ppb.

For the sake of clarity these values were converted to ppm. So all values given here are in ppm.

This conversion was done using:

- $\text{ppm} = \text{wt\%} * 10000$
- $\text{ppm} = \text{ppb} / 1000$

## References

McDonough WF, Sun SS (1995). “The composition of the Earth.” *Chemical Geology*, **120**(3-4), 223–253. doi:[10.1016/00092541\(94\)001404](https://doi.org/10.1016/00092541(94)001404).

---

decayConstants	<i>Decay constants</i>
----------------	------------------------

---

### Description

A data set containing some decay constants regular used in earth science and geochronology.

### Usage

```
decayConstants
```

### Format

A data frame with 6 rows and the following 5 columns:

1. name of the radioactive isotope – element symbol and mass number
2. value it's value and
3. err uncertainty as given by the reference. Uncertainty may be NA if not stated.
4. unit of the decay – usually per year (y), in some cases per day (d)
5. refkey key to reference. Also makes the entry in this table unique if there is more than one decay constant per isotope

The following decay constants are included:

- Ar37
- Ar39
- K40
- Rb87

Some of them are included more than once in this table because their values changed over time.

### References

- Stoenner RW, Schaeffer OA, Katcoff S (1965). “Half-lives of argon-37, argon-39, and argon-42.” *Science*, **148**(3675), 1325–1328. doi:[10.1126/science.148.3675.1325](https://doi.org/10.1126/science.148.3675.1325).
- Steiger RH, Jäger E (1977). “Subcommission on geochronology: Convention on the use of decay constants in geo- and cosmochronology.” *Earth and Planetary Science Letters*, **36**(3), 359–362. doi:[10.1016/0012821x\(77\)900607](https://doi.org/10.1016/0012821x(77)900607).
- Renne PR, Norman EB (2001). “Determination of the half-life of  $^{37}\text{Ar}$  by mass spectrometry.” *Physical Review C*, **63**(4), 047302. doi:[10.1103/PhysRevC.63.047302](https://doi.org/10.1103/PhysRevC.63.047302), <https://link.aps.org/doi/10.1103/PhysRevC.63.047302>.
- Renne PR, Balco G, Ludwig KR, Mundil R, Min K (2011). “Response to the comment by W.H. Schwarz et al. on ‘Joint determination of  $^{40}\text{K}$  decay constants and  $^{40}\text{Ar}^*/^{40}\text{K}$  for the Fish Canyon

sanidine standard, and improved accuracy for  $40\text{Ar}/39\text{Ar}$  geochronology” by P.R. Renne et al. (2010).” *Geochimica et Cosmochimica Acta*, **75**(17), 5097–5100. doi:[10.1016/j.gca.2011.06.021](https://doi.org/10.1016/j.gca.2011.06.021).

Villa IM, De Bièvre P, Holden NE, Renne PR (2015). “IUPAC-IUGS recommendation on the half life of  $87\text{Rb}$ .” *Geochimica et Cosmochimica Acta*, **164**, 382–385. ISSN 0016-7037, doi:[10.1016/j.gca.2015.05.025](https://doi.org/10.1016/j.gca.2015.05.025).

---

EMORB\_\_Sun\_McDounough\_\_1989  
*E-type MORB*

---

## Description

A data set containing the element concentrations in the E-type MORB as given by Sun and McDonough (1989).

## Usage

EMORB\_\_Sun\_McDounough\_\_1989

## Format

A data frame with 1 row and 36 element concentrations in ppm:  
Cs, Tl, Rb, Ba, W, Th, U, Nb, Ta, K, La, Ce, Pb, Pr, Mo, Sr, P, Nd, F, Sm, Zr, Hf, Eu, Sn, Sb, Ti, Gd, Tb, Dy, Li, Y, Ho, Er, Tm, Yb, Lu

## References

Sun SS, McDonough WF (1989). “Chemical and isotopic systematics of oceanic basalts: implications for mantle composition and processes.” *Geological Society, London, Special Publications*, **42**(1), 313–345. doi:[10.1144/gsl.sp.1989.042.01.19](https://doi.org/10.1144/gsl.sp.1989.042.01.19).

---

georefdata\_r\_package     *Geosciences Reference Data Sets in R*

---

## Description

The package includes reference data sets commonly used in geosciences, such as the standard atomic weights of elements, a periodic table, a mineral list, reservoir reference datasets (continental crust, mantle, basalts, etc.), decay constants, and isotopic ratios frequently used in geochronology. Additionally, the package provides functions for basic queries of atomic weights and mineral lists. All datasets have complete references, making them citable.

## Author(s)

Gerald Schuberth-Hlaváč

## References

- Cohen KM, Finney SC, Gibbard PL, Fan J (2013). “The ICS International Chronostratigraphic Chart.” *Episodes*, **36**(3), 199–204. doi:10.18814/epiugs/2013/v36i3/002, Updated, <https://stratigraphy.org/>.
- Connelly NG, Damhus T, Hartshorn RM, Hutton AT (eds.) (2005). *Nomenclature of Inorganic Chemistry: IUPAC recommendations 2005*. Royal Society of Chemistry, Cambridge. ISBN 0854044388, <https://iupac.org/what-we-do/books/redbook/>.
- Gale A, Dalton CA, Langmuir CH, Su Y, Schilling J (2013). “The mean composition of ocean ridge basalts.” *Geochemistry, Geophysics, Geosystems*, **14**(3), 489–518. doi:10.1029/2012GC004334.
- Hiess J, Condon DJ, McLean N, Noble SR (2012). “<sup>238</sup>U/<sup>235</sup>U systematics in terrestrial uranium-bearing minerals.” *Science*, **335**(6076), 1610–1614. doi:10.1126/science.1215507.
- Kim S, Chen J, Cheng T, Gindulyte A, He J, He S, Li Q, Shoemaker BA, Thiessen PA, Yu B, Zaslavsky L, Zhang J, Bolton EE (2020). “PubChem in 2021: new data content and improved web interfaces.” *Nucleic Acids Research*, **49**(D1), D1388–D1395. doi:10.1093/nar/gkaa971.
- Lafuente B, Downs RT, Yang H, Stone N (2015). “The power of databases: The RRUFF project.” In Armbruster T, Danisi RM (eds.), *Highlights in Mineralogical Crystallography*, 1–30. Walter de Gruyter GmbH. doi:10.1515/9783110417104003.
- Lee J, Marti K, Severinghaus JP, Kawamura K, Yoo H, Lee JB, Kim JS (2006). “A redetermination of the isotopic abundances of atmospheric Ar.” *Geochimica et Cosmochimica Acta*, **70**(17), 4507–4512. ISSN 0016-7037, doi:10.1016/j.gca.2006.06.1563.
- Marshall CP, Fairbridge RW (eds.) (1999). *Encyclopedia of Geochemistry*, Kluwer Academic Encyclopedia of earth sciences series. Kluwer Academic Publ., Dordrecht, Boston, London. ISBN 9780412755002.
- McDonough WF, Sun SS (1995). “The composition of the Earth.” *Chemical Geology*, **120**(3-4), 223–253. doi:10.1016/00092541(94)001404.
- National Center for Biotechnology Information (2022). “PubChem Periodic Table of Elements.” <https://pubchem.ncbi.nlm.nih.gov/periodic-table/>. Retrieved February 28, 2022, <https://pubchem.ncbi.nlm.nih.gov/periodic-table/>.
- Prohaska T, Irrgeher J, Benefield J, Böhlke JK, Chesson LA, Coplen TB, Ding T, Dunn PJH, Grönig M, Holden NE, Meijer HAJ, Moossern H, Possolo A, Takahashi Y, Vogl J, Walczyk T, Wang J, Wieser ME, Yoneda S, Zhu X, Meija J (2022). “Standard atomic weights of the elements 2021 (IUPAC Technical Report).” Technical Report 5, IUPAC. doi:10.1515/pac20190603.
- Renne PR, Balco G, Ludwig KR, Mundil R, Min K (2011). “Response to the comment by W.H. Schwarz et al. on ‘Joint determination of 40K decay constants and 40Ar\*/40K for the Fish Canyon sanidine standard, and improved accuracy for 40Ar/39Ar geochronology’ by P.R. Renne et al. (2010).” *Geochimica et Cosmochimica Acta*, **75**(17), 5097–5100. doi:10.1016/j.gca.2011.06.021.

- Renne PR, Norman EB (2001). “Determination of the half-life of  $^{37}\text{Ar}$  by mass spectrometry.” *Physical Review C*, **63**(4), 047302. doi:10.1103/PhysRevC.63.047302, <https://link.aps.org/doi/10.1103/PhysRevC.63.047302>.
- Rollinson HR (1993). *Using Geochemical Data: Evaluation, Presentation, Interpretation*. Longman Group UK.
- Rudnick RL, Gao S (2003). “Composition of the Continental Crust.” In *Treatise on Geochemistry*, 1–64. Elsevier. doi:10.1016/b0080437516/030164.
- Rudnick RL, Gao S (2014). “Composition of the Continental Crust.” In Holland HD, Turekian KK (eds.), *Treatise on Geochemistry*, Second Edition edition, 1–51. Elsevier, Oxford. ISBN 978-0-08-098300-4, doi:10.1016/B9780080959757.003016.
- Steiger RH, Jäger E (1977). “Subcommission on geochronology: Convention on the use of decay constants in geo- and cosmochronology.” *Earth and Planetary Science Letters*, **36**(3), 359–362. doi:10.1016/0012821x(77)900607.
- Stoermer RW, Schaeffer OA, Katcoff S (1965). “Half-lives of argon-37, argon-39, and argon-42.” *Science*, **148**(3675), 1325–1328. doi:10.1126/science.148.3675.1325.
- Sun SS, McDonough WF (1989). “Chemical and isotopic systematics of oceanic basalts: implications for mantle composition and processes.” *Geological Society, London, Special Publications*, **42**(1), 313–345. doi:10.1144/gsl.sp.1989.042.01.19.
- Taylor SR, McLennan SM (1995). “The geochemical evolution of the continental crust.” *Reviews of geophysics*, **33**(2), 241–265. doi:10.1029/95rg00262.
- Villa IM, De Bièvre P, Holden NE, Renne PR (2015). “IUPAC-IUGS recommendation on the half life of  $^{87}\text{Rb}$ .” *Geochimica et Cosmochimica Acta*, **164**, 382–385. ISSN 0016-7037, doi:10.1016/j.gca.2015.05.025.
- Vrielynck B (2022). “Colour Code according to the Commission for the Geological Map of the World (CGMW).” doi:10.14682/2022ICCCOLCODE, <https://ccgm.org/>.
- Warr LN (2021). “IMA-CNMNC approved mineral symbols.” *Mineralogical Magazine*, 1–30. doi:10.1180/mgm.2021.43.

icsColor

*Get ICS Color for a unit name found in the International Chronostratigraphic Chart.*

## Description

Retrieve the color code for a given name of an eontheme, eratheme, system, ... from the color codes of the International Chronostratigraphic Chart.

**Usage**

```
icsColor(name, colorModel = "RGB")
```

**Arguments**

<code>name</code>	character. The name of a unit: eontheme to stage
<code>colorModel</code>	character. The color model to get the color codes in – either 'RGB' (default) or 'CMYK'.

**Value**

list of the color code in the chosen color model

**See Also**

[ICS\\_Colors](#) for the full color code table

**Examples**

```
# Color codes of the Permian in RGB
icsColor("Permian")
```

**Description**

A data set containing the color codes used by the [International Chronostratigraphic Chart](#) by the [International Commission on Stratigraphy](#) (ICS) (Cohen et al. 2013).

**Usage**

`ICS_Colors`

**Format**

A data frame with 194 rows and the following 11 columns:

**standard sorting order** ICS' ordering of this entry

**Long List (isc:)** Entries name prefixed by `ics`:

**Long List (formatted)** The (common) name of entry, e.g. 'Holocene'

**Rank** Is the entry a System, Series, Stage, ...

**Cyan, Magenta, Yellow, Black** Color's values in the CMYK color model

**Red, Green, Blue** Color's values in the RGB color model

## Details

The coloring in this chart follows the [Commission for the Geological Map of the World](#) (CGMW) (Vrielynck 2022).

## References

Cohen KM, Finney SC, Gibbard PL, Fan J (2013). “The ICS International Chronostratigraphic Chart.” *Episodes*, **36**(3), 199–204. doi:[10.18814/epiugs/2013/v36i3/002](https://doi.org/10.18814/epiugs/2013/v36i3/002), Updated, <https://stratigraphy.org/>.

Vrielynck B (2022). “Colour Code according to the Commission for the Geological Map of the World (CGMW).” doi:[10.14682/2022ICCCOLCODE](https://doi.org/10.14682/2022ICCCOLCODE), <https://ccgm.org/>.

## See Also

[icsColor\(\)](#) a convenience function to get a specific color.

*isoRatios*

*Isotopic ratios*

## Description

A data set containing some isotopic ratios regular used in earth science

## Usage

`isoRatios`

## Format

A data frame with 3 rows and the following 4 columns:

1. name of the isotopic ratio – twice the element symbol and mass number
2. value it's value and
3. `err` uncertainty as given by the reference. Uncertainty may be `NA` if not stated.
4. `refkey` key to reference. Also makes the entry in this table unique if there is more than one ratio for the isotopes

The following isotopic ratios are included:

- Ar40Ar36
- U238U235

Some of them are included more than once in this table because their values changed over time or are still under discussion.

## References

- Steiger RH, Jäger E (1977). “Subcommission on geochronology: Convention on the use of decay constants in geo- and cosmochronology.” *Earth and Planetary Science Letters*, **36**(3), 359–362. doi:[10.1016/0012821x\(77\)900607](https://doi.org/10.1016/0012821x(77)900607).
- Lee J, Marti K, Severinghaus JP, Kawamura K, Yoo H, Lee JB, Kim JS (2006). “A redetermination of the isotopic abundances of atmospheric Ar.” *Geochimica et Cosmochimica Acta*, **70**(17), 4507–4512. ISSN 0016-7037, doi:[10.1016/j.gca.2006.06.1563](https://doi.org/10.1016/j.gca.2006.06.1563).
- Hiess J, Condon DJ, McLean N, Noble SR (2012). “<sup>238</sup>U/<sup>235</sup>U systematics in terrestrial uranium-bearing minerals.” *Science*, **335**(6076), 1610–1614. doi:[10.1126/science.1215507](https://doi.org/10.1126/science.1215507).

---

IUPAC\_StdAW

*IUPAC Standard atomic weights of the elements*

---

## Description

A data set containing the standard atomic weights of the elements as recommended by the International Union of Pure and Applied Chemistry (IUPAC) and Commission on Isotopic Abundances and Atomic Weights (CIAAW).

## Usage

IUPAC\_StdAW

## Format

A data frame with 118 rows and the following 8 columns:

**Element** Element’s name

**Symbol** Element’s symbol

**Atomic number** Element’s atomic number. Elements are listed in increasing atomic number

**stdAW::Value** Values of standard atomic weights are given as single values with uncertainties (column stdAW::Uncertainty) or as intervals.

**stdAW::Uncertainty** of the Value of the standard atomic weight

**abrStdAW::Value** Abridged atomic weights quoted to five significant figures. Unless such precision cannot be attained due to the variability of isotopic composition in normal materials or due to the limitations of the measurement capability.

**abrStdAW::±** A plus-minus-value as a simplified measure of the reliability of the abridged values.

**Note** The collected footnotes of the table. Notes are resolved to the sentences associated with them. If there is more than one note, the notes are separated by an newline (\n).

## Details

This is table 1 of (Prohaska et al. 2022). The (foot)notes in the table have been collected in a new column (Notes) and their abbreviations resolved into sentences.

## References

(Prohaska et al. 2022)

## See Also

[aw\(\)](#) for a function to get the standard atomic weights of the elements found in this table by their symbols

[IUPAC periodic table of elements](#) online

[CIAAW](#) also a periodic table of elements online

[CIAAW standard atomic weights](#) online

---

mins

*List of Minerals*

---

## Description

[International Mineralogical Association \(IMA\) Commission on New Minerals, Nomenclature and Classification \(CNMNC\)](#) approved list of minerals, names and abbreviations (Warr 2021). Retrieved from [RRUFF](#) (Lafuente et al. 2015).

## Usage

mins

## Format

A data frame with 5763 minerals and their names, symbols (abbreviations) and chemistry.  
Symbol, Name, Chemistry

## References

Lafuente B, Downs RT, Yang H, Stone N (2015). “The power of databases: The RRUFF project.” In Armbruster T, Danisi RM (eds.), *Highlights in Mineralogical Crystallography*, 1–30. Walter de Gruyter GmbH. doi:[10.1515/9783110417104003](https://doi.org/10.1515/9783110417104003).

Warr LN (2021). “IMA–CNMNC approved mineral symbols.” *Mineralogical Magazine*, 1–30. doi:[10.1180/mgm.2021.43](https://doi.org/10.1180/mgm.2021.43).

## See Also

[IMA approved minerals on RRUFF](#)

[IMA–CNMNC approved mineral symbols](#), (Warr 2021)

---

minSearch	<i>Find minerals by their names or symbols</i>
-----------	--

---

## Description

Searches for [minerals](#) by their names and symbols using a [regular expression](#). By default cases are ignored.

## Usage

```
minSearch(pattern, ignore.case = TRUE)
```

## Arguments

pattern	regular expression for the mineral to search
ignore.case	switch case insensitivity on (default) or off

## Value

data.frame of [minerals](#) where the given pattern matches.

## See Also

[List of minerals](#), [minsForChemistry\(\)](#)

## Examples

```
minSearch('alm')
minSearch('Pyh$', ignore.case = FALSE)
```

---

minsForChemistry	<i>Find minerals by their chemistry</i>
------------------	---

---

## Description

Searches for [minerals](#) by their chemistry using a [regular expression](#).

## Usage

```
minsForChemistry(pattern, ignore.case = FALSE)
```

## Arguments

pattern	regular expression for the chemistry
ignore.case	switch case insensitivity on or off (default)

**Value**

data.frame of [minerals](#) where the given pattern matches.

**See Also**

[List of minerals](#), [minSearch\(\)](#)

**Examples**

```
minsForChemistry('Mn.*\\(SiO4\\)$')
```

---

NMORB\_\_Sun\_McDounough\_\_1989  
*N-type MORB*

---

**Description**

A data set containing the element concentrations in the N-type MORB as given by Sun and McDonough (1989).

**Usage**

```
NMORB__Sun_McDounough__1989
```

**Format**

A data frame with 1 row and 36 element concentrations in ppm:

Cs, Tl, Rb, Ba, W, Th, U, Nb, Ta, K, La, Ce, Pb, Pr, Mo, Sr, P, Nd, F, Sm, Zr, Hf, Eu, Sn, Sb, Ti, Gd, Tb, Dy, Li, Y, Ho, Er, Tm, Yb, Lu

**References**

Sun SS, McDonough WF (1989). “Chemical and isotopic systematics of oceanic basalts: implications for mantle composition and processes.” *Geological Society, London, Special Publications*, **42**(1), 313–345. [doi:10.1144/gsl.sp.1989.042.01.19](https://doi.org/10.1144/gsl.sp.1989.042.01.19).

---

OIB\_Sun\_McDounough\_1989  
*Ocean Island Basalts – OIB*

---

**Description**

A data set containing the element concentrations in the OIB as given by Sun and McDonough (1989).

**Usage**

OIB\_Sun\_McDounough\_1989

**Format**

A data frame with 1 row and 36 element concentrations in ppm:  
Cs, Tl, Rb, Ba, W, Th, U, Nb, Ta, K, La, Ce, Pb, Pr, Mo, Sr, P, Nd, F, Sm, Zr, Hf, Eu, Sn, Sb, Ti, Gd, Tb, Dy, Li, Y, Ho, Er, Tm, Yb, Lu

**References**

Sun SS, McDonough WF (1989). "Chemical and isotopic systematics of oceanic basalts: implications for mantle composition and processes." *Geological Society, London, Special Publications*, **42**(1), 313–345. [doi:10.1144/gsl.sp.1989.042.01.19](https://doi.org/10.1144/gsl.sp.1989.042.01.19).

---

PGE                          *Platinum-group elements – PGE*

---

**Description**

Ru-Pd and Os-Pt: in chemistry, this group is referred to as the platinum metals. Since the 1960 geologists are using the term "platinum-group elements" (PGE) ( ). In geochemistry, this group is further divided into two subgroups: Ir-PGE and Pd-PGE ( ) with Au often added to the latter (Rollinson 1993).

- PGE Platinum-group elements – e.g. ( ).
- IPGE, PPGE Ir-PGE and Pd-PGE – (Rollinson 1993, 1999);

**Usage**

PGE

IPGE

PPGE

**Format**

character vector with 6 elements.  
 character vector with 3 elements.  
 character vector with 3 elements.

**Functions**

- IPGE: Ir-PGE subgroup
- PPGE: Pd-PGE subgroup

**References**

- Rollinson HR (1993). *Using Geochemical Data: Evaluation, Presentation, Interpretation*. Longman Group UK.
- Marshall CP, Fairbridge RW (eds.) (1999). *Encyclopedia of Geochemistry*, Kluwer Academic Encyclopedia of earth sciences series. Kluwer Academic Publ., Dordrecht, Boston, London. ISBN 9780412755002.
- Connelly NG, Damhus T, Hartshorn RM, Hutton AT (eds.) (2005). *Nomenclature of Inorganic Chemistry: IUPAC recommendations 2005*. Royal Society of Chemistry, Cambridge. ISBN 0854044388, <https://iupac.org/what-we-do/books/redbook/>.

**Examples**

```
# get information from the periodic table of elements
subset(pte, Symbol %in% PGE)
```

PM\_\_Sun\_McDounough\_\_1989

*Primitive mantle*

**Description**

A data set containing the element concentrations in the primitive mantle as given by Sun and McDonough (1989).

**Usage**

PM\_\_Sun\_McDounough\_\_1989

**Format**

A data frame with 1 row and 36 element concentrations in ppm:  
 Cs, Ti, Rb, Ba, W, Th, U, Nb, Ta, K, La, Ce, Pb, Pr, Mo, Sr, P, Nd, F, Sm, Zr, Hf, Eu, Sn, Sb, Ti, Gd, Tb, Dy, Li, Y, Ho, Er, Tm, Yb, Lu

## Details

For lead and cesium the recommended (in this work) values for mantel-normalizing diagrams where used. The original values that were given in Tbl.1 are (Cs, 0.032) and (Pb, 0.185).

## References

Sun SS, McDonough WF (1989). “Chemical and isotopic systematics of oceanic basalts: implications for mantle composition and processes.” *Geological Society, London, Special Publications*, **42**(1), 313–345. doi:[10.1144/gsl.sp.1989.042.01.19](https://doi.org/10.1144/gsl.sp.1989.042.01.19).

---

pte

*Periodic Table of Elements*

---

## Description

The periodic table of elements as given by PubChem National Center for Biotechnology Information (2022).

## Usage

pte

## Format

A data frame with 118 rows and 17 columns.

For each element the following attributes are reported: AtomicNumber, Symbol, Name, AtomicMass, CPKHexColor, ElectronConfiguration, Electronegativity, AtomicRadius, IonizationEnergy, ElectronAffinity, OxidationStates, StandardState, MeltingPoint, BoilingPoint, Density, GroupBlock, YearDiscovered

## References

National Center for Biotechnology Information (2022). “PubChem Periodic Table of Elements.” <https://pubchem.ncbi.nlm.nih.gov/periodic-table/>. Retrieved February 28, 2022, <https://pubchem.ncbi.nlm.nih.gov/periodic-table/>.

Kim S, Chen J, Cheng T, Gindulyte A, He J, He S, Li Q, Shoemaker BA, Thiessen PA, Yu B, Zaslavsky L, Zhang J, Bolton EE (2020). “PubChem in 2021: new data content and improved web interfaces.” *Nucleic Acids Research*, **49**(D1), D1388–D1395. doi:[10.1093/nar/gkaa971](https://doi.org/10.1093/nar/gkaa971).

## See Also

[IUPAC\\_StdAW](#) for the standard atomic weights of the elements recommended by IUPAC

---

Pyrolite\_\_McDonough\_Sun\_\_1995  
*Pyrolite*

---

**Description**

A data set containing the *recommended chemical composition of the Silicate Earth- "Pyrolite"* as given by McDonough and Sun (1995)

**Usage**

`Pyrolite__McDonough_Sun__1995`

**Format**

A data frame with 1 row and 76 element concentrations in ppm:

Li, Be, B, C, N, F, Na, Mg, Al, Si, P, S, Cl, K, Ca, Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Br, Rb, Sr, Y, Zr, Nb, Mo, Ru, Rh, Pd, Ag, Cd, In, Sn, Sb, Te, I, Cs, Ba, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Hf, Ta, W, Re, Os, Ir, Pt, Au, Hg, Tl, Pb, Bi, Th, U

In the article the concentrations of most of the major elements are given in wt% and the concentrations of Nb and following are given in ppb.

For the sake of clarity these values were converted to ppm: So all values given here are in ppm. This conversion was done using:

- ppm= wt% \* 10000
- ppm= ppb / 1000

**References**

McDonough WF, Sun SS (1995). "The composition of the Earth." *Chemical Geology*, **120**(3-4), 223–253. doi:[10.1016/00092541\(94\)001404](https://doi.org/10.1016/00092541(94)001404).

**Description**

List of rare earth elements and subsets thereof.

**Usage**

REE

Lanthanides

LREE

MREE

HREE

REM

**Format**

character vector with 15 elements.

character vector with 15 elements.

character vector with 4 elements.

character vector with 6 elements.

character vector with 4 elements.

character vector with 17 elements.

**Details**

The "Red Book" ( ) defines the rare earth metals (REM) as Sc, Y and the lanthanides (La – Lu). In geochemistry, the term "rare earth elements" is generally limited to the lanthanides – e.g. (Rollinson 1993, 1999). Therefore, it is crucial to consider the context in which this term is used.

A distinction is made here between rare earth metals (REM) and rare earth elements (REE). The latter are the lanthanides as they are commonly used in geochemistry. Speaking in sets, the REE are a subset of the REM. And all subsets of the REE are also limited to the lanthanides.

- Lanthanides La–Lu ( ).
- REE Same as Lanthanides. The term rare earth elements as used in geochemistry – e.g (Rollinson 1993, 1999).
- REM Rare earth metals. Sc, Y and the lanthanides ( )
- LREE Light REE, La–Nd
- MREE Intermediate REE, Sm–Ho
- HREE Heavy REE, Er–Lu

**Functions**

- Lanthanides: Only lanthanides
- LREE: Light REE subset of REE

- MREE: Intermediate REE subset of REE
- HREE: Heavy REE subset of REE
- REM: Rare earth metals

## References

- Rollinson HR (1993). *Using Geochemical Data: Evaluation, Presentation, Interpretation*. Longman Group UK.
- Marshall CP, Fairbridge RW (eds.) (1999). *Encyclopedia of Geochemistry*, Kluwer Academic Encyclopedia of earth sciences series. Kluwer Academic Publ., Dordrecht, Boston, London. ISBN 9780412755002.
- Connelly NG, Damhus T, Hartshorn RM, Hutton AT (eds.) (2005). *Nomenclature of Inorganic Chemistry: IUPAC recommendations 2005*. Royal Society of Chemistry, Cambridge. ISBN 0854044388, <https://iupac.org/what-we-do/books/redbook/>.

## Examples

```
# get information from the periodic table of elements
subset(pte, Symbol %in% REE)
```

# Index

## \* datasets

ALL\_MORB\_\_GALE\_\_2013, 2  
BAB\_\_GALE\_\_2013, 4  
CC\_Bulk\_\_Rudnick\_Gao\_\_2014, 4  
CC\_Bulk\_\_Taylor\_McLennan\_\_1995, 5  
CC\_Lower\_\_Rudnick\_Gao\_\_2014, 6  
CC\_Lower\_\_Taylor\_McLennan\_\_1995, 7  
CC\_Middle\_\_Rudnick\_Gao\_\_2014, 8  
CC\_Upper\_\_Rudnick\_Gao\_\_2014, 8  
CC\_Upper\_\_Taylor\_McLennan\_\_1995, 9  
CI\_\_McDonough\_Sun\_\_1995, 10  
decayConstants, 11  
EMORB\_\_Sun\_McDounough\_\_1989, 12  
ICS\_Colors, 15  
isoRatios, 16  
IUPAC\_StdAW, 17  
mins, 18  
NMORB\_\_Sun\_McDounough\_\_1989, 20  
OIB\_\_Sun\_McDounough\_\_1989, 21  
PGE, 21  
PM\_\_Sun\_McDounough\_\_1989, 22  
pte, 23  
Pyrolite\_\_McDonough\_Sun\_\_1995, 24  
REE, 24

ALL\_MORB\_\_GALE\_\_2013, 2  
aw, 3  
aw(), 18

BAB\_\_GALE\_\_2013, 4

CC\_Bulk\_\_Rudnick\_Gao\_\_2014, 4  
CC\_Bulk\_\_Taylor\_McLennan\_\_1995, 5  
CC\_Lower\_\_Rudnick\_Gao\_\_2014, 6  
CC\_Lower\_\_Taylor\_McLennan\_\_1995, 7  
CC\_Middle\_\_Rudnick\_Gao\_\_2014, 8  
CC\_Upper\_\_Rudnick\_Gao\_\_2014, 8  
CC\_Upper\_\_Taylor\_McLennan\_\_1995, 9  
CI\_\_McDonough\_Sun\_\_1995, 10

decayConstants, 11

EMORB\_\_Sun\_McDounough\_\_1989, 12  
georefdataar-package  
    (georefdataar\_package), 12  
georefdataar\_package, 12  
HREE (REE), 24  
ICS\_Colors, 15, 15  
icsColor, 14  
icsColor(), 16  
IPGE (PGE), 21  
isoRatios, 16  
IUPAC\_StdAW, 3, 17, 23

Lanthanides (REE), 24  
List of minerals, 19, 20  
LREE (REE), 24

minerals, 19, 20  
mins, 18  
minSearch, 19  
minSearch(), 20  
minsForChemistry, 19  
minsForChemistry(), 19  
MREE (REE), 24

NMORB\_\_Sun\_McDounough\_\_1989, 20

OIB\_\_Sun\_McDounough\_\_1989, 21

PGE, 21  
PM\_\_Sun\_McDounough\_\_1989, 22  
PPGE (PGE), 21  
pte, 3, 23  
Pyrolite\_\_McDonough\_Sun\_\_1995, 24

REE, 24  
regular expression, 19  
REM (REE), 24